

Figure 1




Figure 2








Figure 3



Figur 4


5 of 45




6 of 45

000	Music	<b></b>	
Collection	27 items		606
Name  O1. Just By Mys 602	Song Title Just By Myself 603	Artist Greg Brov 604	Genre 📥 🛕
	Stupid American	Eddie From Ohio	Folk
C2. BNy From The Hills.mp3	Billy From The Hills	Greg Brown	Folk
(f) 02. Fifth of July.mp3	Fifth of July	Eddie From Ohio	Folk
j) 03. Boomtown.mp3	Boomtown	Greg Brown	Folk
ந் 03. Old Dominion.mp3	Old Dominion	Eddie From Ohio	Folk
ति 04. From Dacca.mp3	From Dacca	Eddie From Ohio	Folk
7 04. Spring Wind.mp3	Spring Wind	Greg Brown	Folk
n OS. Laughing River.mp3	Laughing River	Greg Brown	Folk
3 OS. Woman of Faith.mp3	Woman of Faith	Eddie From Ohio	Folk
7 06. Good at That.mp3	Good at That	Eddie From Ohio	Folk .
7 C6. You Drive Me Crazy.mp3	You Drive Me Crazy	Greg Brown	Folk
3 07. Canned Goods.mp3	Canned Goods	Greg Brown	Folk
7 07. Minnesota 1945.mp3	Minnesota 1945	Eddie From Ohio	Folk
1 C8. / Don_t Want to Have a.mp3	I Don't Want to Have	Greg Brown	Folk 🔻

7 of 45





9 of 45

900	Black B						
Folder	75 items, 1.2GB available						
DSCN2896.JPG	DSCN2920.JPG	DSCN2944.JPG	DSCN2968.JPG				
M DSCN2897_IPG	DSCN2921_JPG	DSCN2945.JPG	DSCN2969.JPG	÷			
DSCN2898LIPG	DSCN2922_IPG	DSCN2946.JPG	DSCN2970.1PG				
DSCN2899_JPG	DSCN2923_IPG	DSCN2947.JPG					
DSCN2900JPG	DSCN2924_JPG	DSCN2948.JPG	707				
DSCN2901_JPG	DSCN2925_JPG	DSCN2949.1PG					
DSCN2902.JPG	DSCN2926.JPG	DSCN2950.JPG					
DSCN2903.1PG	DSCN2927.JPG	溢 DSCN2951_IPG					
DSCN2904.JPG	OSCN2928_IPG	DSCN2952.JPG					
DSCN2905.1PG	SS DSCN2929.JPG	DSCN2953.JPG		1.			
DSCN2906.1PG	DSCN2930.1PG	DSCN2954.JPG					
DSCN2907.JPG	DSCN2931_JPG	DSCN2955.JPG					
DSCN2908.1PG	DSCN2932.JPG	DSCN2956.JPG					
DSCN2909_IPG	DSCN2933.JPG	DSCN2957.JPG					
DSCN2910_IPG	DSCN2934_JPG	DSCN2958.JPG					
SE DSCN2911.JPG	DSCN2935.1PG	DSCN2959LIPG		:			
DSCN2912.JPG	DSCN2936.JPG	DSCN2960.1PG					
DSCN2913.JPG	DSCN2937.JPG	DSCN2961.1PG					
SCN2914.JPG	DSCN2938.JPG	DSCN2962.JPG					
DSCN2915_IPG	DSCN2939_IPG	DSCN2963_JPG					
DSCN2916.JPG	DSCN2940_IPG	DSCN2964.1PG					
DSCN2917.JPG	DSCN2941_IPG	DSCN2965.JPG					
SS DSCN2918_IPG	DSCN2942.JPG	DSCN2966.JPG					
DSCN2919.JPG	EAR DSCN2943.JPG	题 DSCN2967.JPG					


Figure 7c

10 of 45


900	Music		
Collection	27 items	-	
Name	Song Title	Artist	G
d 01. Just By Myself.mp3	Just By Myself	Greg Brown	Folk
01. Stupid American.mp3	Stupid American	Eddie From Ohio	Folk
1 02 Bly From The Hills.mp3	Billy From The Hills	Greg Brown	Folk
O2. Fifth of July.mp3	Fifth of July	Eddle From Ohio	Folk
d 03. Boomtown.mp3	Boomtown	Greg Brown	Folk
3. Old Dominion.mp3	Old Dominion	Eddie From Ohio	Folk
6 04. From Dacca.mp3	From Dacca	Eddie From Ohio	Folk
f 04. Spring Wind.mp3	Spring Wind	Greg Brown	Folk
OS. Laughing River.mp3	Laughing River	Greg Brown	Folk


00		Music	
Collection	on	27 items	
	Name	Song Title	Artist
क्रि 0	1. Just By Myself.mp3	Just By Myself	Greg Brown
्रिक्षे 0	1. Stupid American.mp3	Stupid American	Eddie From Ohio
,mana,	2. Billy From The Hills.mp3	Billy From The Hills	Greg Brown
्रिता <i>व</i>	2. Fifth of July.mp3	Fifth of July	Eddie From Ohio
ज़ि <b>८</b>	3. Boomtown.mp3	Boomtown	Greg Brown
स्ति ८	3. Old Dominion.mp3	Old Dominion	Eddie From Ohio

11 of 45





```
906
000
                                    FullPath.c
                                                                           909
                                                908
CodeWarrior source file
                                        8.9K
                       907
pascal OSErr FSpLocationFromFullPath(short fullPathLength,
         const void *fullPath,
         FSSpec *spec)
 AliasHandle alias;
 OSErr result;
                                        910
 Boolean wasChanged;
 Str32 nullString;
 /* Create a minimal alias from the full pathname */
 nullString[0] = 0; /* null string to indicate no zone or server name */
 result = NewAliasMinimalFromFullPath(fullPathLength, fullPath, nullString,
nullString, &alias);
 if ( result == noErr )
  /* Let the Alias Manager resolve the alias. */
 result = ResolveAlias(NULL, alias, spec, &wasChanged);
  /* work around Alias Mgr sloppy volume matching bug */
  if ( spec->vRefNum == 0 )
   /* invalidate wrong FSSpec */
   spec->parID = 0;
   spec->name[0] = 0;
   result = nsvErr;
  DisposeHandle((Handle)alias); /* Free up memory used */
 return ( result );
```






Figur 10a






15 of 45



Figur 11a


<b>666</b> .	Received	
C51 items (one selected)	EMail EMail	1
New features at Geoff's	New Reply Forward Redirect	<del></del>
Learn to make at i 🛅 Geoff's	From: Andrew Begel Date: 7/5/03 1:32 PM  1104	
Announcing StarLo Graphin	Subject: Announcing StarLogo 1.0 Beta 2!!!	
Anza-Borrego Dese In this s	To: <starlogo-users@media.mit.edu></starlogo-users@media.mit.edu>	Ţ
Anza-Bo 1103 JFAX.CC	Hi everyone,	
Attachments JFAX.CC	The second beta of StarLogo 1.0 is now available! Our original version of StarLogo, which runs only on Macintosh coaputers, has been	M
bounce test msg	renamed MacStarLogo. This version of StarLogo is implemented in Java and is able to run on many different platforms. Since our first beta	U
Bozosity - Septemb Luncher	release, we have been hard at work adding many new features and fixing bugs. We have also expanded our development efforts to include	ž X
Bruce Horn- Give a New Ad	MacOS, Unix and OS/2, so this new StarLogo should run pretty well on many more computers than before.	; ;
CFO Digest 09-23 New Ad	You can download this second beta version of StarLogo from the StarLogo He site (http://www.media.mit.edu/starlogo). See the Heb site for more	ab E
Computer - Protecti Order	information.	14 ji 1.
Design by Contract Re: Aug	He look forward to hearing your comments and suggestions!	ŕ
ESAN Alert for 199 Re: Con	The StarLogo Development Team	r L
ESAN Alert for 199 Re: Hea		\$
ESAN special bulleti Re: Rev	He include the REROME that comes with the StarLogo download in the remainder of this letter.	inach, in
ESAN Special Com Re: Rev	STARLOGO (Beta 2)	
ESANetwork: read L Re: Rev	September 22, 1999	1
ESANetwork: read L Re: Rev	1. INTRODUCTION	
FAX From 1650649 Re: Rev	Helcome to the second beta release of StarLogo, a totally new version	1
Fax received Re: Rev	of StarLogo. Our original version of StarLogo, which runs only on Macintosh computers, has been renamed MacStarLogo. As with	Sept. Cont.
Fwd: YZK Re: Rev	MacStarLogo, this new version is designed to help you model and explore the workings of decentralized systems, such as bird flocks,	Ų
	traffic jams, and market economies (see	1

17 of 45



Figur 12a

18 of 45



Figur 12b







Figure 13





Figur 14






Figure 15

```
606
                                     LString.cp
                                         54.0K
CodeWarrior source file
                        1601
// • Assign ( long double, ConstStringPtr, ResIDT )
11 -
// Assignment from a long double using a formatting string and the
// resource ID of a NumberParts table
// This function allows you to specify number formatting strings using
// a standard NumberParts table, and then obtain format records that
// use the local System NumberParts as specified by the user.
// For example, assuming that 'NoPt' resource 200 is a standard US
// NumberParts table,
11
// myString.Assign(1234.56, "\p###,###.##", 200);
11
// On a machine with US number formatting, myString will be "1,234.56".
// On a machine with Danish number formatting, myString will be
// "1.234,56" (Danish use 1602 the thousands separator and ',' as
// the decimal point).
11
// However, if you use the Assign() routine above:
// myString.Assign(1234.56, "\p###,###.##");
// This will correctly set myString to "1,234.56" on a machine with
// US number formatting. But will not work for Banish number formatting,
// where the format string is invalid.
// utformatResult may be nil. If so, not format result is passed back.
LString&
LString::Assign(
long double
             inNumber,
 ConstStringPtr inFormatString,
          inNumberPartsID,
 ResIDT
FormatResultType* outFormatResult)
 Handle partsH = ::GetResource(ResType_NumberParts, inNumberPartsID);
 ThrowIfResFail_(partsH);
 StHandleLooker lock(partsH);
```

```
000
                                     LString.cp
                                        54.0K
   CodeWarrior source file
// • Assign ( long double, ConstStringPtr, ResIDT )
// Assignment from a long double using a formatting string and the
// r source ID of a NumberParts table
// This function allows you to specify number formatting strings using
// a standard NumberParts table, and then obtain format records that
// use the local System NumberParts as specified by the user.
// F r example, assuming that 'MoPt' resource 200 is a standard US
// NumberParts table,
// myString.Assign(1234.56, "\p###,###.##", 200);
                                           yString will be "1,234.56".
// On a machine with US
                           Scandinavia
                                   _____g, myString will be
// On a machine with Dar.
                               e the thousands separator and ',' as
// "1.234,56" (Danish use
                              1603
// the decimal point).
// However, if you use the Assign() routine above:
// myString.Assign(1234.56, "\p###,###.##");
// This will correctly set myString to "1,234.56" on a machine with
// US number formatting. But will not work for Danish number formatting,
// where the format string is invalid.
// outFormatResult may be mil. If so, not format result is passed back.
LString&
LString::Assign(
 long double inNumber,
 C nstStringPtr inFormatString,
 ResIDT
         inNumberPartsID,
 FormatResultType* outFormatResult)
 Handle partsH = ::GetResource(ResType_NumberParts, inNumberPartsID);
 ThrowIfResFail_(partsH);
 StHandleLocker lock(partsH);
```


606	IMG_0914	4.JPG Info		
JPEG Image				g nganganggan kalansan kanan kanan kanan sa
IMG_0914.JPG				, , , , , , , , , , , , , , , , , , ,
File	Image   Photo	Comments	See Also	
Images Flying JPEG Collection Kids Mono Lake (Blake) Ward Family	1701			


25 of 45

006	3	Bruce	Horn	1801		
Contac	:t					i
EMail	VoiceMa	Note	Appt		1802	Collection
Last:	Horn		First:	Bruce		
Title:		į	Company:	<del>,</del>		
Street:	1234 Main Street					
City:	Anytown		State:	CA	ZIP: 543:	21
Home	Phone: 800-555-12	12	EMail:			
Work	Phone:		Webpage:			
Ceil	Phone:		Birthday:			
Fax	Phone:	1				

800	Bruce Horn Collection								
Collection		674 items							
	Ners History.txt	Attachments	Bruce Horn	Bruce Horn- Gi	Ô				
bruce.html	CApplication.cp	CApplication.h	CArraySorter.cp	CArraySorter.h					
CAttributable.cp	CAttributable.h	C8Tree.cp	C8Tree.h	CBTreelterator.cp					
CBTreelterator.h	CCatalog.cp	CCatalog.h	CClass.cp	CClass.h	•				
CClassifier.cp	CCI assiner.h	CComparable.cp	CComparable.in	CContainable.cp					

Figur 18







Note	i
7/15/03 7:18 PM	1 5 5 b
in Oslo so that we can get together whi	dinavia 🙏


Figure 19

27 of 45




28 of 45





Files Domain	Collections Volumes	Objects Volume Directory File
Music Domain	Collections Artist Album Genre Rating	Objects mp3 file wmp file
Images Domain	Collections JPEG PDF BMP Black and White Nikon Coolpix	Objects JPEG file PDF file BMP file GIF file PSD file
WebDAV Domain	Collections Remote Volumes Websites	Objects Remote files
Finance Domain	Collections Accounts Payables Receivables	Objects Payees Checks



Figur 24

0	C design of the state of the st	Stop		
Workspace	Scanning 'Cycle Cregon 9,02"	7 5 of 213 less than a minute:		
000	Workspece 5.6.		Count Name  Count Acrobat  Discretion  Miscretion  Mis	

Figur 25a




Figure 25b






Figure 26







Figur 27

		4 ( [E]	Ę	<b>9</b>	مناخذت عيد	4شد. بمثير≺	www.	alla		عد موسود مع		<b>≥</b> 1 <sup>×8</sup>
1		Colections	Stizey Paths; Culdoor stuff	mages JÆG Colector; Cyaing	frages JÆGColectist; Cysing	Images JEG Collection; Cycling	mages JÆG Colection: Cyaing	Imges JEG Colection: Cyains	Ward famly; mages; favorites, .FEG	Brace; mages; .PEG Callection: Eycling	mages JÆG Colection; Cyaing	Images JÆG Colection: Cycling
Collections	116 items	McGfhec	Tue, Ju 15, 2003 "1:30 PM	Thu, Jan 23, 2015 5:20 FM	Wad, Sep 25, 2032 2:15 FM	W≥d, Sep 25, 2032 2:15 FM	Thu, 151 23, 2022 5:19 FM	Thu, Jan 23, 2015 5:20 FM	Wad, Sep 25, 2032 2:19 FM	Wad, Sep 25, 2032 2:19 FM	Wad, Sep 23, 2032 2:15 FM	Tha, Jan 23, 2032 5:20 FM
		Mana	Cycling	THE ISOMESSING	250115:3.1PG	25CV1512.1PG	34. ASCANS274. JPG	34.50211055 18	SAL CESTINOSE SE	34.5521V352	59. ESOVEC83.1PG	591.693.PG
000	Colection	Count	▼ 22 ▼							<b>46</b>	830	<b>₩</b>

Figure 28


37 of 45






11.

Figur 29



Figur 30






Figure 32




Figure 33




Figure 34





Figure 35






Figure 37